

VERTICAL BENDING SILICONE

IN-CURV LINEAR

VERTICAL

INNER LED

12b Homecroft Road, Sydenham, SE26 5QG

W innerled.co.uk E sales@innerled.co.uk

Tel 01883 592249



Solvents
Resistant



UV
Resistant



Flame
Resistant



Salt Water
Resistant





IK10
Protection

Silicone



INCURV-LINEAR 2219 Vertical Bending Silicone



Min. Bending Diameter
400mm/15.75in



ClearTech™

TwinFlex™

C-Mask™

PinBoost™

DryWire™



2219B Monochrome

2219D Dynamic White






2219A RGB Light

2219E RGBW Light

2219S DMX Pixel Light

2219S SPI Pixel Light


LED In-flex Linear



Connector



Dual Injection-moulded Connector IP68-UL676



Silicone Injection-moulded Connector IP68-UL676



Injection-moulded Connector IP67



Silicone Injection-moulded Connector IP68



Dual Injection-moulded Connector IP68

Mounting Profile



Aluminum Profile



Flange Aluminum Profile



Raceway Aluminum Profile



Serrated Aluminum Profile



Bendable Anole™ Profile



Bendable Serrated Aluminum Profile




Thickened Plastic Profile



Stainless Steel Profile



Flange Serrated Aluminum Profile



PC Covered Aluminum Profile