

HORIZONTAL BENDING SILICONE

IN-CURV LINEAR



HORIZONTAL

INNER LED


12b Homecroft Road, Sydenham, SE26 5QG

W innerled.co.uk E sales@innerled.co.uk


Tel 01883 592249




Solvents
Resistant



UV
Resistant



Flame
Resistant



Salt Water
Resistant




IK10
Protection

Silicone



INCURV-LINEAR 2222 Horizontal Bending Silicone



Horizontal Bending



Min. Bending Diameter
400mm/15.75in

ClearTech™


TwinFlex™

C-Mask™


PinBoost™

V-Optic™

DryWire™



5 year
Warranty



ANSI
IC78.377



3
SDCM



-40 °C
55 °C
Ambient Working
Temperature



Anti
yellowing

2222B Monochrome

2222D Dynamic White






2222A RGB Light

2222E RGBW Light

2222S DMX Pixel Light

2222S SPI Pixel Light


LED In-flex Linear



Connector



Dual Injection-moulded Connector IP68-UL676



Silicone Injection-moulded Connector IP68-UL676



Injection-moulded Connector IP67



Silicone Injection-moulded Connector IP68



Dual Injection-moulded Connector IP68

Mounting Profile



Aluminum Profile



Flange Aluminum Profile



Raceway Aluminum Profile



Serrated Aluminum Profile



Bendable Anole™ Profile



Bendable Serrated Aluminum Profile




Thickened Plastic Profile



Stainless Steel Profile



Flange Serrated Aluminum Profile



PC Covered Aluminum Profile