

# RUN UP TO 15 METRES FROM ONE DRIVER

## IN-RGB 48-100-20

# INNER LED


12b Homecroft Road, Sydenham, SE26 5QG

W innerled.co.uk E sales@innerled.co.uk

Tel 01883 592249



14.4W/M



280LM/M




IP20



Colour  
Changing



15M Reel



100mm  
Cut Points



## FEATURES

- Up to 15 metres of illumination, powered from one end or 30 metres powered from the middle
- Colour Changing RGB
- Supplied on recyclable cardboard reels
- Industrial grade adhesive backing tape
- Working temperature -20°C - +40°C
- High efficacy
- 3 years warranty

## SPECIFICATIONS

|                   |                    |
|-------------------|--------------------|
| Voltage           | 48VDC              |
| Power Consumption | 14.4W/M            |
| Lumen Output      | 280LM/M            |
| Tone (CCT)        | RGB                |
| LED/metre         | 100                |
| Cut Points        | 100mm              |
| IP Rating         | 20                 |
| Dimensions        | 15000 x 10 x 1.8mm |



# RUN UP TO 15 METRES FROM ONE DRIVER

## IN-RGB 48-100-20


# INNER LED

12b Homecroft Road, Sydenham, SE26 5QG  
W [innerled.co.uk](mailto:innerled.co.uk) E [sales@innerled.co.uk](mailto:sales@innerled.co.uk)  
Tel 01883 592249

### COMPATIBILITY



### MECHANICAL DIAGRAM




### CONTROL METHODS (sold separately)


- Remote Control
- Bluetooth (Apps, Voice Control)
- Sound Reactive (colour changing, dimming)
- Hard-wired wall-mounted controller
- RF wall-mounted or remote controlled

### CONNECTORS (sold separately)


#### WIRE TO WIRE



#### TAPE TO DRIVER



#### TAPE TO TAPE



# RUN UP TO 15 METRES FROM ONE DRIVER

## RGB-48-100-65

# INNER LED


12b Homecroft Road, Sydenham, SE26 5QG

W innerled.co.uk E sales@innerled.co.uk

Tel 01883 592249



14.4W/M



250LM/M




IP65



Colour  
Changing



15M Reel



100mm  
Cut Points



## FEATURES

- Up to 15 metres of illumination, powered from one end or 30 metres powered from the middle
- Colour Changing RGB
- Supplied on recyclable cardboard reels
- Industrial grade adhesive backing tape
- Working temperature -20°C - +40°C
- High efficacy
- 3 years warranty

## SPECIFICATIONS

|                   |                  |
|-------------------|------------------|
| Voltage           | 48VDC            |
| Power Consumption | 14.4W/M 250LM/   |
| Lumen Output      | M                |
| Tone (CCT)        | RGB              |
| LED/metre         | 100              |
| Cut Points        | 100mm            |
| IP Rating         | 65               |
| Dimensions        | 15000 x 10 x 3mm |



RUN UP TO 15 METRES FROM ONE DRIVER

# IN-RGB 48-100-65

# INNER LED

12b Homecroft Road, Sydenham, SE26 5QG


W innerled.co.uk E sales@innerled.co.uk

Tel 01883 592249

## COMPATIBILITY



## MECHANICAL DIAGRAM



## CONTROL METHODS (sold separately)

Remote Control

Bluetooth (Apps, Voice Control)


Sound Reactive (colour changing, dimming)

Hard-wired wall-mounted controller


RF wall-mounted or remote controlled

## CONNECTORS (sold separately)

### WIRE TO WIRE



### TAPE TO DRIVER



### TAPE TO TAPE

